

ASSIGNED

Nº 50579

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB -- 9 1987 --- NEW PRIORITY DATE: SEPT 2, 1998

Returned to applicant for correction MAR 2 1987

Corrected application filed APR 29 1987

Map filed APR 29 1987

The applicant J. J. RAU

758 Riverside Road, of Hollister,

Street and No. or P.O. Box No.

City or Town

California 95023, hereby make ^s application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.25 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal (16 Residences) and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks") 16 Residences

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point in the Northwest Quarter of the Southwest Quarter of Section 25, Township 24 South, Range 56 East, Mount Diablo Meridian, in Sandy Valley, Clark County, Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Nevada, from which the Northwest corner of the said Southwest Quarter of Section 25 bears North 86° 18' West a distance of 894 feet.

6. Place of use The Northwest Quarter of the Southwest Quarter of Section 25, Township 24 South, Range 56 East, Mount Diablo Meridian, Sandy Valley, Clark County, Nevada.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Pump and motor in existing drilled well
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.
with storage tank and distribution system to residences.

9. Estimated cost of works Ten Thousand Dollars

10. Estimated time required to construct works Three Years to complete installation of pump and
If well completed, describe works.
motor and construction of distribution network.
11. Estimated time required to complete the application of water to beneficial use.....Five Years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
16 residences on 2½ gross acre lots. Please advise our State Water Right Surveyor,
David F. Causey, P.E., Causey Engineering Service, P.O. Box 14846, Las Vegas,
Nevada 89114-0846, of all action of other matters relating to this application.

By.....s/ David F. Causey,
David F. Causey, P.E., Agent
P O Box 14846
Las Vegas, Nevada 89114-0846

Compared.....pm/ se.....am/se

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed.....0.25.....cubic feet per second, but not to exceed 5.84
million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....January 18, 1993

Proof of completion of work shall be filed on or before.....February 18, 1993

Application of water to beneficial use shall be made on or before.....January 18, 1996

Proof of the application of water to beneficial use shall be filed on or before.....February 18, 1996

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....AUG 4 1994.....IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

A.D. 19.....91.....

Richard Thompson P.E.
State Engineer

218 (Rev.)

CANCELLED AUG 13 1998 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Richard Thompson P.E.
STATE ENGINEER

cancellation rescinded 9-30-98